

HIV IN EMERGENCY AND HUMANITARIAN SETTING

MODULE	INTERVENTION	GAPS IDENTIFIED	ACTIVITIES TO ADDRESS THE GAPS IDENTIFIED
Prevention Package for (MSM/FSW/PWID/PWUD/TG) and their	Condom, lubricant and NSP programming for (MSM/FSW/PWID/PWUD/TG)	Inadequate supply and availability of condoms and lubricants, NSP	Regular reporting and requesting, and uploading into the KHIS
		Inaccessibility of condoms and lubricants, NSP and interruption of specific services provided within differentiated models	Targeted condom distribution, including to non-traditional outlets
		Stigma associated with condom use, discussion and distribution	Information and communication on safer sex and condom use, at community level and on internet, or through <b>safer</b> social media/web-based condom promotion
			Inclusion of condoms and lubricants as a package during distribution of emergency humanitarian kits (Contraceptives, dignity pack, condoms, lubricants etc)
	Pre-exposure prophylaxis (PrEP) programming for MSM/FSW/PWID/PWUD/TG	Lack of awareness/knowledge gap	PrEP information and demand creation, including peer-based approaches, sensitization of service providers, community volunteers among others
			Advocacy to enhance awareness and access
		Inconsistent supply chain of PrEP drugs	Strengthening the reporting system
			Fast track procurement process
	Sexual and reproductive health services, including sexually transmitted infections (STIs), hepatitis, post-violence care for MSM		Integration of PrEP into other health service delivery components
		Inadequacy in screening, knowledge, access to care	Strengthening of community referral and address stigma and sensitization of CHV
		Assessment and mapping	
	Removing human rights-related barriers to prevention for MSM/FSW/PWID/PWUD/TG	Inconsistent referral system	create a safer E-referral system and linkage to care
		Stigma due to legal, cultural and religious value systems, limited knowledge, language barriers, emergency responses not adequately consider human rights	Removing human rights-related barriers to prevention for MSM
		Weaker Community Advisory Boards (CAB) and other respondents	Refocus CABs and respondent interventions
		Increased human rights violations	Key stakeholders sensitizations
		Inadequate support on probono services	Remodeling of probono package of services
Elimination of Vertical Transmission of HIV, Syphilis and Hepatitis B		Low ANC attendance/uptake	Increased awareness for pregnant mothers and spouses
			Increase numbers of community outreaches
			Strengthen community-facility referral by CHVs and community champions

			Incentives for antenatal care (ANC) attendance through <b>LINDA MAMA</b> initiative and NHIF support for families and refugees/asylum seekers
			Integration of between HIV and reproductive, maternal, newborn, child and adolescent and PMTCT in mobile services health (RMNCAH)
		Low knowledge on importance of ANC services	Strengthen advocacy of key stakeholders like Imams, Religious leaders among others
		Inadequate rapid test kits for HTS	Regular reporting on consumption and uploading into KHIS
		Cultural barriers	Community mobilization and empowerment,
		High mobility due to nomadic lifestyle	Reach through consistent mobile outreaches including cross border population
	Prevention of HIV incidences among pregnant and	Inadequate rapid test kits for HTS	Regular reporting on consumption and uploading into KHIS
		Inadequate supply and availability of condoms and lubricants	Regular reporting and requesting, and uploading into the KHIS
			Promotion and distribution of female and male condoms and condom-compatible lubricants.
		Low literacy levels and skill on safer sex and negotiations	Information and communication on safer sex, sex negotiation skills and condom use.
		Low uptake of PrEP	Integration of PrEP into ANC services
		Inadequate GBV interventions	GBV support services, such as post-violence counseling, referral and linkages to post exposure prophylaxis (PEP), clinical investigations, medical management, clinical care, forensics management and medical-legal linkages, psychosocial support, including mental health services and longer-term counselling.
		Inadequate STI screening kits and treatment facilities	Prevention, screening and testing of STIs.
			Integration of STI services at community level
		Low involvement and stigma among partners	Increased focus on meaningful partner testing and engagement
	Post-natal infant prophylaxis	Longer distances to access health facility service	Integrated comprehensive mobile services
			Enhance quarterly multisectoral and commodity security meetings
		Stigma and discrimination on provision on ARVs for infant prophylaxis	Empowerment of mentors mothers and expert mothers/peer champions
		Lack of awareness on hepatitis screening and treatment among HCP and community, including cross boarder persons and refugees	Capacity building through relevant structures
	Early infant diagnosis and follow-up HIV testing for exposed	Erratic commodity supply including for EID diagnosis kits	Regular reporting and requesting and uploading in KHIS

		Defaulters and home deliveries	Adequate resources for defaulter tracing
			Increase awareness for ANC attendance and hospital deliveries
			Increased support group meetings
		Inadequate testing platforms	Introducing point-of-care and commodities
<b>Treatment, Care and Support</b>	HIV treatment and differentiated service delivery – adults (15 and	Weaker Community ART distribution models	Need for adequate resources to facilitate community ART distribution
		Low knowledge on ART distribution models	Capacity building of community ART distributors
		High stigma associated with ARVs	Targeted ART distributions
		High mobility of clients on ART	Increased mobile ART clinics
		Inadequate resources, capacities and interventions for psychosocial and mental health	Psychosocial support and mental health support.
		Inadequate treatment and adherence support in boarding schools	Capacity building for treatment supports/matrons in boarding schools
	Nutritional package/support for PLHIV and during emergency	Missing in the current funding/NFM3	<b>Inclusion of nutritional support in the GC7 grant</b>
	Social protection through humanitarian support package	Lack of mapping/estimates for eligible/vulnerable clients	Mapping and data base for eligible client
			<b>Inclusion of humanitarian support package in the GC7 grant</b>
	Treatment monitoring - viral load and antiretroviral (ARV) toxicit	Lack of commodities including reagents/cartridge	Capacity enhancement for point of care services
			Procurement of reagents/cartridges and equipment (including multi-disease devices and point-of-care devices) for viral load testing.
		Knowledge gap on treatment monitoring	Demand creation and treatment literacy (community level).
	Integrated management of common co-infections and co-morbidities (adults and children)	Inadequate commodities including drugs for common infections	Referrals of people living with HIV, women, and adolescents to HPV vaccine services, and screening, triage, and secondary preventive treatment of HPV and cervical cancer; with a focus on AGYW.
			Routine screening and management of mental health, including sexual identity development, depression, anxiety, and trauma.
			Screening and management of hypertension, diabetes, and obesity in PLHIV of 40 years and older.
<b>Reducing Human Rights-related Barriers to HIV/TB Services</b>	Eliminating stigma and discrimination in all settings	Inadequate Information to inform an effective response to stigma and discrimination within emergency and humanitarian settings	Generate evidence to inform plan for emergency response

			Development and implementation of national emergency plans that include adequate attention to needs of vulnerable communities in emergency and humanitarian settings
			Mapping out and capacity building for key stakeholders involve in emergency and humanitarian responses
			Engagement of community-based and community-led organizations/groups on HIV, TB and human rights in camps/group residence of refugees and internally displaced persons.
			Activities to prevent, address, monitor and report violence against (including but not limited to) to the most vulnerable in emergency and humanitarian settings
		Stigma due to legal,cultural and religious value systems,limited knowledge,language barriers,emergency responses not adequately consider human rights	Removing human rights-related barriers to access to HIV care and treatment in emergency situations
		Weaker Community Advisory Boards (CAB) and other respondents	Reconstitution and support for CABs and respondent interventions
		Increased human rights violations	Key stakeholders sensitizations on HR and ethical standards applicable in emergency and humanitarian settings
		Inadequate support on probono services	Remodeling of probono package of services, Sensitize community gate-keepers, law enforcers and uniformed officers
		Increased vulnerability and exposure to SGBV	
	Legal literacy (“Know Your Rights”)	Ignorance on rights applicable during emergency situations	Development and dissemination of communication materials on patient rights and other human rights.
		Language barriers among communities in humanitarian settings	Development and dissemination of communication materials on patient rights and other human rights in languages applicable in humanitarian settings
		Ignorance on legal obligations applicable in Kenya among refugees and asylum seekers	Avail probono legal support
	Ensuring non-discriminatory provision of health care	Inadequate data on the extent and nature of discrimination in health care provision in emergency and humanitarian settings	Monitor, document and respond to incidences of discrimination in humanitarian settings
			Development of and capacity building on institutional policies and accountability mechanisms for emergency and humanitarian responders
	Ensuring rights-based law enforcement practices	Impunity in law enforcement practices during emergency responses	Support community-led monitoring of human rights violations by organizations providing emergency responses
			Training law enforcement and uniformed personnel